

PATENT  
Atty. Dkt. No. AMAT/2922.Y1/ETCH/DRIE/JB1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:  
Rozenzon, et al.

Serial No.: 09/325,026

Confirmation No.: 2304

Filed: June 3, 1999

**For: Temperature Controlled  
Window With a Fluid  
Supply System**

Group Art Unit: 1763

**Examiner:** L. L. Alejandro Mulero

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Dear Sir:**

**CERTIFICATE OF FACSIMILE  
TRANSMISSION UNDER 37 CFR 1.8**

I hereby certify that this correspondence and the documents referred to as attached therein are being facsimile transmitted to the U.S. Patent and Trademark Office to the fax number indicated by the Examiner, namely, fax number (703)-872-9311 to the attention of the named Examiner, on the date below.

9/25/03                      Kristen Zuber  
Date                                      Signature

**SECOND RESPONSE TO FINAL OFFICE ACTION DATED JUNE 27, 2003**

In response to the Final Office Action dated June 27, 2003, having a shortened statutory period for response set to expire on September 27, 2003, please enter this response and reconsider the claims pending in the application for reasons discussed below. Although Applicants believe that no fee is due in connection with this response, the Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782/AMAT/2922.Y1/KMT, for any fees, including extension of time fees or excess claim fees, required to make this response timely and acceptable to the Office.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 2 of this paper. **Remarks/Arguments** begin on page 6 of this paper.

RECEIVED  
CENTRAL FAX CENTER  
SEP 26 2003

OFFICIAL